

DEALERS PRICE LIST YEAR 2016 Q3



Warehouse. Hospitality. Retail. Kiosk. Marine. Industrial. Medical.

Quality. Safety. Versatility.



Contents



ALL-IN-ONE POS PAGE

CSPOS 3
 CSPOS WP & CSPOS PANEL PC 4

 ISPOS 6
 ISPOS WP 8
 ISPOS PANEL PC 9

 Ato POS 11
 cSPAD10 13



TOUCH MONITORS

AMON 14

PERIPHERALS

LABEL PRINTER 15
 THERMAL PRINTER 16
 CASH DRAWER 17



Parts

CSPOS PARTS 18
 ISPOS PARTS 19

TERMS & CONDITIONS 20



ALL-IN-ONE cSPOS TOUCH SCREEN SYSTEMS



FEATURES

- Bezel-less Screen Design
- 15" LED Backlight Screen
- Resolution 1024 x 768
- 250cd/m2 brightness
- Projective Capacitive Touch (PCT)
- Dual Core processor: ULV CPU consumes less power, generates less heat & helps to keep our environment **GREEN**
- DDR3 System Memory
- 2.5" Slim Removable HDD/ SSD
- Fanless and Ventless System generates low-heat technology
- Aluminium Die-Cast Casing exclusive Nano-technology coating
- IP54 Certification - Water and Dust Resistive
- Internal Power Supply
- Mounting Options: Stand Mount/ VESA Wall Mount

CONNECTIVITY


COM Ports	Cash Drawer (RJ12) 12v/24v	USB Ports	PS/2 KB Port
2	1	4	1
Gigabit LAN	Parallel Port OR 2nd VGA Output	Earphone Jack for Line-out & Mic -in	Speakers (In-Built)
1	1	1	2

Dimensions: 380 (W) x 219 (D) x 351 (H) mm
Weight: 7kg

**Sleek, Versatile, Absolute,
Fanless & Ventless**

MODEL	ITEM CODE	PRODUCT SPECIFICATION	COST EX GST 1-10	COST EX GST 10+	RRP EX GST
cSPOS 350	CSPOS350	15" LED, 1024 x 768 Resolution, Projective Capacitive Touch (PCT) INTEL Dual Core Celeron 1037U 1.8GHz, 4GB DDR3 RAM, 2.5" 32GB SSD/320GB HDD	RM2800	RM2750	RM3900

cSPOS WP



MODEL	ITEM CODE	PRODUCT SPECIFICATION	COST EXT GST 1-10	COST EXT GST 10+	RRP EX GST
cSPOS 350WP	CSPOS350PWP	15" LED, 1024 x 768 Resolution, Projective Capacitive Touch (PCT) INTEL Dual Core Celeron 1037U 1.8GHz, 4GB DDR3 RAM, 2.5" 32GB SSD/ 320GB HDD, Built-in TP-250II Thermal Printer	RM3450 Special Order ETA 3WEEKS	RM3400	RM4800

cSPOS Panel PC



MODEL	ITEM CODE	PRODUCT SPECIFICATION	COST EXT GST 1-10	COST EXT GST 10+	RRP EX GST
cSPOS350NB	CSPOS350NB	15" LED, 1024 x 768 Resolution, Projective Capacitive Touch (PCT) INTEL Dual Core Celeron 1037U 1.8GHz, 4GB DDR3 RAM, 2.5" 32GB SSD/ 320GB HDD Power Supply Cover w/ Cable Management	RM2800	RM2750	RM3900

OPTIONS & UPGRADES - cSPOS Series

DUAL CSPOS SCREEN OPTIONS

MODEL	ITEM CODE	PRODUCT SPECIFICATION	COST EX GST 1-10	RRP EX GST
8.4" Customer LCD Display	Z-M8FR-D00CSC3	Integrated 8.4" LCD Customer Display	RM600	RM840
AMON 10.4"	AMON10GB	Integrated 10.4" LCD Customer Display	RM750	RM1050

ACCESSORIES

MODEL	ITEM CODE	PRODUCT SPECIFICATION	COST EX GST 1-10	RRP EX GST
Wi-Fi	MK-390MA01	Integrated 802.11 b/g/n Wireless LAN with Internal Antenna	RM220	RM310
3 Track Card Reader	Z-15CR-A10C0A0	Integrated 3 Track Magnetic Card Reader	RM200	RM280
VFD Customer Display	Z-15VD-A0SC000	Integrated 2 lines VFD Display Module	RM300	RM400
Finger Print Reader	Z-15CR-A00C2A0	Integrated Finger Print Reader (Digital Persona) With 2 Track MSR	Special request	-
	Z-15CR-000C2A0	Integrated Finger Print Reader (Digital Persona)	Special request	-
RFID Reader	Z-15CR-002C0A0	Integrated RFID Reader (MiFare) 125KHz	Special request	-
	GIS-06NBC3S	Integrated RFID Reader (MiFare) 125KHz with 3 Track MSR	Special request	-

SSD UPGRADE OPTIONS

MODEL	ITEM CODE	PRODUCT SPECIFICATION	COST EX GST 1-10	RRP EX GST
64GB SSD	S-SDFHD02200	2.5" 64GB SSD (Upgrade from 32GB SSD)	RM50	RM70
120GB SSD	SSDSC2BW120A401	2.5" 120GB SSD (Upgrade from 32GB SSD)	RM150	RM200

OPERATING SYSTEM OPTIONS

MODEL	ITEM CODE	PRODUCT SPECIFICATION	COST EX GST 1-10	RRP EX GST
Windows POSReady 7	POSREADY7	Windows POSReady 7 OEM (pre-installed with Sensor drivers) 32bit/ 64bit	RM360	RM500
Windows 7 Pro	WIN7PRO	Windows 7 Professional OEM (pre-installed with Sensor drivers) 32bit/ 64bit	RM650	RM850
Windows 8.1	WIN8.1PRO	Windows 8.1 Pro 8.1 OEM (pre-installed with Sensor drivers) 32bit/ 64bit	Special request	-
Window POSReady2009	POSREADY2009	Windows POSReady 2009 OEM (pre-installed with Sensor drivers) 32bit	RM360	RM500



Available in colours Black, Red & Green — Special Order for Red & Green, Estimated Lead Time 4-6 Weeks

ALL-IN-ONE ISPOS TOUCH SCREEN SYSTEM

specially designed to meet the demands of harsh environments



FEATURES

- 15" TFT LCD (Manual tilt mechanism)
- Resolution 1024 x 768
- 250cd/m2 brightness
- Senor 5 Wire Resistive Touch Screen/ Projected Capacitive Touch Screen
- Intel Dual Core Atom processor: ULV CPU consumes less power, generates less heat & helps to keep our environment **GREEN**
- DDR3 System Memory
- 2.5" removable HDD/ SSD, easy for service, covered by Mylar sheet to disburse statics
- Fanless and Ventless System
- Aluminium Die-Casted Casing
- 270° Swivel Base
- Internal Power Supply
- IP66 — Water & Dust Resistant Certified

CONNECTIVITY

Cash			
COM Ports	Drawer (RJ12) 12v/24v	USB Ports	PS/2 KB Port
2	1	4	1
Gigabit LAN			
Parallel Port OR 2nd VGA Output		Earphone Jack for Line- out & Mic -in	
1	1	1	

Ergonomic, Slimline design, Fanless and Ventless

Dimensions: 389 (W) x 232 (D) x 363 (H) mm (15" ISPOS)
 Weight: 8.5kg
 446 (W) x 118 (D) x 388 (H) mm (17" ISPOS)
 Weight: 9.6kg

iSPOS



270 degrees swivel plate

8.4" LCD Customer Display (optional)



Internal Power Supply

15 inch

MODEL	ITEM CODE	PRODUCT SPECIFICATION	COST EX GST 1-10	COST EX GST 10+	RRP EX GST
ISPOS 900	ISPOS900	15" TFT LED, Senor 5 wire resistive touch screen INTEL Quad Core Celeron j1900 2GHz, 4GB DDR3 RAM , 2.5" 32GB SSD/ 320GB HDD Manual Base with Swivel Plate	RM3150	RM3100	RM4400
ISPOX 75N	ISPOX75NPCT	15" TFT LED, Projected capacitive touch screen INTEL Dual Core i7 357UE 1.7GHz turbo boost up to 2.8GHz, 8GB DDR3 RAM , 2.5" 64GB SSD Manual Base with Swivel Plate	RM4950	RM4850	RM6900

iSPOS Panel PC



COM Ports	Cash Drawer (RJ12)	USB Ports	PS/2 KB Port
2	1	3	1
Gigabit LAN	Parallel Port OR 2nd VGA Output	Earphone Jack for Line-out & Mic -in	
1	1	1	

15 inch

MODEL	ITEM CODE	PRODUCT SPECIFICATION	COST EX GST 1-10	COST EX GST 10+	RRP EX GST
ISPOS 900 Panel PC	ISPOS900NB	15" TFT LED, Senor 5 wire resistive touch screen INTEL Dual Core Atom D2550 1.86GHz, 4GB DDR3 RAM, 2.5" 32GB SSD/ 320GB HDD Power Supply Cover w/ Cable Management	RM3150	RM3100	RM4400
ISPOSX 75N Panel PC	ISPOSX75NB	15" TFT LED, Projected capacitive touch screen INTEL Dual Core i7 357UE 1.7GHz turbo boost up to 2.8GHz, 8GB DDR3 RAM , 2.5" 64GB SSD Power Supply Cover w/ Cable Management	RM4950	RM4850	RM6900

iSPOS WP



Built-in TP-250 Thermal Printer

Cash			
COM Ports	Drawer (RJ12) 12v/24v	USB Ports	PS/2 KB Port

2 1 3 1

Gigabit LAN	Parallel Port (For printer use)	2nd VGA Output (optional)	Earphone Jack for Line-out & Mic -in
-------------	------------------------------------	------------------------------	--------------------------------------

1 1 1 Extensions Cable

Dimension: 400 (W) x 260 (D) x 470 (H) mm (15" iSPOS WP)
Weight: 15kg
446 (W) x 246 (D) x 420 (H) mm (17" iSPOS WP)
Weight: 15kg



Integrated Barcode Reader (optional)



Printer Cover (optional)

15 inch

MODEL	ITEM CODE	PRODUCT SPECIFICATION	COST EX GST 1-10	COST EX GST 10+	RRP EX GST
ISPOS 900WP	ISPOS900WP	15" TFT LED, Senor 5 wire resistive touch screen INTEL Quad Core Celeron J1900 2GHz, 4GB DDR3 RAM, 2.5" 32GB SSD/ 320GB HDD Integrated TP-250II Thermal Receipt Printer USB interface	RM3800 Special Order ETA 3 Weeks	RM3750	RM5300
ISPOS X75NWP	ISPOSX75NWP	15" TFT LED, Projected capacitive touch screen INTEL Dual Core i7 357UE 1.7GHz turbo boost up to 2.8GHz, 8GB DDR3 RAM , 2.5" 64GB SSD Integrated TP-250II Thermal Receipt Printer USB interface	RM5600 Special Order ETA 3 Weeks	RM5550	RM7800

OPTIONS & UPGRADES - iSPOS Series

ACCESSORIES

MODEL	ITEM CODE	PRODUCT SPECIFICATION	COST EX GST 1-10	RRP EX GST
8.4" Customer LCD Display	Z-M8FR-D00CSC3	Integrated 8.4" LCD Customer Display	RM600	RM840
AMON 10.4"	AMON10GB	Integrated 10" LCD Customer Display	RM750	RM1050
VFD Customer Display	Z-15VD-A0SC000	Integrated 2 lines VFD Display Module	RM300	RM400
Wi-Fi	MK-390MA01	Integrated 802.11 b/g/n Wireless LAN with Antenna	RM220	RM310
3T Card Reader	Z-12CR-D50C0A0NFW	Triple Track MSR for iSPOS (with New F/W)	RM200	RM280
Smart Card Reader	Z-15CR-005C0A0	Integrated IC Smart Card Reader	Special request	-
Finger Print Reader	Z-15CR-A00C2A0	Integrated Finger Print Reader (Digital Persona) with 2 Track MSR	Special request	-
	Z-15CR-000C2A0	Integrated Finger Print Reader (Digital Persona)	Special request	-
RFID Reader	Z-15CR-002C0A0	Integrated RFID Reader (MiFare) SDK required	Special request	-
	GIS-06NBC3S	Integrated RFID Reader (MiFare) with 2 Track MSR, SDK required	Special request	-
3G GPRS	KIT-004	Integrated 3G GPRS Module available	Special request	-
Barcode Reader Kit	GA-50MU & KIT-002BN	Integrated 16 lines Barcode Reader Kit for iSPOS Panel PC	Special request	-
	GA-50MU & KIT003BN	Integrated 16 lines Barcode Reader Kit for iSPOS WP	Special request	-


TOUCH SCREEN & SSD UPGRADE OPTIONS

MODEL	ITEM CODE	PRODUCT SPECIFICATION	COST EX GST 1-10	RRP EX GST
Upgrade to 64GB SSD	64GBMSATASSD	64GB mSATA SSD (Upgrade from 32GB mSATA SSD)	RM150	RM170
Upgrade to 128GB SSD	128GBMSATASSD	128GB Msata SSD (Upgrade from 32GB mSATA SSD)	RM180	RM200
Upgrade to 500GB SATA HDD	500GBSATAHDD	2.5" 500GB SATA HDD	RM80	RM110

OPERATING SYSTEM OPTIONS

MODEL	ITEM CODE	PRODUCT SPECIFICATION	COST EX GST 1-10	RRP EX GST
Windows POSReady7	POSREADY7	Windows POSReady7 OEM (pre-installed with Senor drivers)	RM360	RM500
Windows 7 Pro	WIN7PRO	Windows 7 Professional OEM (pre-installed with Senor drivers) 32bit/ 64bit	RM650	RM850
Windows 8.1	WIN8.1PRO	Windows 8.1 Professional OEM (pre-installed with Senor drivers) 32bit/ 64bit	Special request	-
Windows POSReady2009	POSREADY2009	Windows POSReady2009 OEM (pre-installed with Senor drivers)	RM360	RM500

ALL-IN-ONE Atto POS TOUCH SCREEN SYSTEMS



- 15" TFT LCD
- Resolution 1024 x 768
- 300cd/m2 brightness
- Projected Capacitive Touch Screen
- Intel Quad Core Celeron processor: ULV CPU consumes less power, generates less heat & helps to keep our environment **GREEN**
- DDR3 System Memory
- Fanless System
- Aluminium Die-Casted Casing

COM Ports	HDMI	USB Ports	PS/2 KB Port
AttoPOS100 (1x on unit 2x on base)	1 (AttoPOS1300 only)	AttoPOS1000 (3 x USB 2.0 1 xUSB3.0)	1
AttoPOS1300 (1x on unit 1x on base)		AttoPOS1300 (2 x USB2.0 2 x USB3.0)	
Gigabit LAN	Parallel Port	2nd VGA	Audio Out
1	1	1	1

Dimensions: 350 (W) x 292 (D) x 46 (H) mm (No Base)
 350 (W) x 282 (D) x 149 (H) mm (With Base)
 Weight: 5.65 kg

Slimline design, and Fanless

15 inch

MODEL	ITEM CODE	PRODUCT SPECIFICATION	COST EX GST 1-10	COST EX GST 10+	RRP EX GST
ATTO POS1000	ATTOPOS100	15" LED, 1024x 768 Resolution, Projected Capacitive Touch screen (PCT) INTEL Quad-Core Celeron J1900 2.0GHz, 4GB DDR3 RAM, 32GB mSATA SSD/ 2.5" 320GB HDD	RM2100	RM1990	RM3100
ATTO POS1300	ATTOPOS1300	15" LED, 1024x 768 Resolution, Projected Capacitive Touch screen (PCT) INTEL Core i3 4010 U 1.7GHz, 4GB DDR3 RAM, 32GB mSATA SSD/ 2.5" 320GB HDD	RM2950	RM2900	RM4100

OPTIONS & UPGRADES - Atto POS Series

ACCESSORIES

MODEL	ITEM CODE	PRODUCT SPECIFICATION	COST EX GST 1-10	RRP EX GST
ATTO MSR	ATTOMSR	Magnetic Card Reader	RM200	RM280
ATTO 15" LCD	ATTO2ND	15" ATTO 2nd Customer Display (Glass Only)	RM850	RM1150
ATTO VFD	ATTOVFD	External 2 lines VFD Display Module	RM300	RM400

SSD UPGRADE OPTIONS

MODEL	ITEM CODE	PRODUCT SPECIFICATION	COST EX GST 1-10	RRP EX GST
Upgrade to 64GB mSATA SSD	64GBMSATASSD	64GB mSATA SSD (Upgrade from 32GB mSATA SSD)	RM130	RM180
Upgrade to 128GB mSATA SSD	128GBMSATASSD	128GB Msata SSD (Upgrade from 32GB mSATA SSD)	RM140	RM195
Upgrade to 500GB SATA HDD	500GBSATAHDD	2.5" 500GB SATA HDD	RM80	RM110

OPERATING SYSTEM OPTIONS

MODEL	ITEM CODE	PRODUCT SPECIFICATION	COST EX GST 1-10	RRP EX GST
Windows POSReady7	POSREADY7	Windows POSReady7 OEM (pre-installed with Senor drivers)	RM360	RM500
Windows 7 Pro	WIN7PRO	Windows 7 Professional OEM (pre-installed with Senor drivers) 32bit/ 64bit	RM650	RM850

cSPAD10



FEATURES

- Projected Capacitive Touch
- Elastic Leather Hand Strap
- All accessories included (1D Scanner, 5 MP Camera supporting 2D Barcode Scanner, Triple Track MSR, RFID Reader, IC Card Reader, 3G)
- IP54 - Water & Dust Resistant Certified

CONNECTIVITY

Docking & Charging Stand

Video Output (VGA)	USB Ports	COM Ports	Cash Drawer	Micro SD Slot
1	1x (on tablet) 3x (on docking stand)	2	1x 12V	1
RJ45 LAN	Audio Port	Speaker	WiFi	Bluetooth 4.0
1 x 10/100 Mbit	1	1	802.11n	1

Ruggedised Tablet POS


MODEL	ITEM CODE	PRODUCT SPECIFICATION	COST EX GST 1-10	COST EX GST 10+	RRP EX GST
CSPAD10	CSPAD10	10.1" LCD, 1280 x 800 Resolution Projected Capacitive Touch (PCT) Intel Celeron N2807 1.58GHz turbo boost up to 2.16GHz, 4GB RAM, 32GB eMMC Docking & Charging Stand included Windows 10 Pro Embedded included	RM2888	RM2788	RM4450

ACCESSORIES

MODEL	ITEM CODE	PRODUCT SPECIFICATION	COST EX GST 1-10	RRP EX GST
CSPAD10 Docking Station	CSPAD10DS	Docking & Charging Stand for CSPAD10	RM300	RM450

AMON TOUCH SCREEN MONITOR

Specially designed for retail and hospitality industries



FEATURES

- 15" TFT LCD (Automatic tilt mechanism available on 15")
- Resolution 1024 x 768
- 250cd/m2 brightness
- Senor 5 Wire Resistive Touch Screen
- IP43 — Water & Dust Resistant Certified
- 270° Swivel Base
- Internal Power Supply
- VESA Mount Capability

CONNECTIVITY

Video Input (VGA)	USB Touch	Serial Touch (RS232)
1	1	1
Audio & MIC Port		Speakers
1		2

Built to perform & Built to last

Dimension: 380 (W) x 346 (D) x 205 (H) mm
Weight: 6.2kg

MODEL	ITEM CODE	PRODUCT SPECIFICATION	COST EX GST 1-10	COST EX GST 10+	RRP EX GST
15" AMON 15T	AMON15TNB	15" TFT LCD, Senor 5 Wire Resistive Touch Screen USB & Serial Touch Connector [No Base]	RM850	RM820	RM1150
15" AMON 15T	AMON15SUS	15" TFT LCD, Senor 5 Wire Resistive Touch Screen USB & Serial Touch Connector [With Manual Base]	RM950	RM900	RM1350

ACCESSORIES

MODEL	ITEM CODE	PRODUCT SPECIFICATION	COST EX GST 1-10	RRP EX GST
3 Track Card Reader	Z-A5CR-B10B0A0	Integrated 3 Track Magnetic Card Reader	RM200	RM280
VFD Customer Display	Z-A5VD-A2SB000	Integrated 2 Lines USB VFD Customer Display Module	RM300	RM400
Finger Print Reader	Z-A5CR-000B2A0	Integrated Finger Print Reader (Digital Persona) with 2 Track MSR	Special request	-
Motorised Base	Z-APBS-B00FAC0	Motor Base	RM200	RM280
Dual Manual Base	Z-I5BS-D26BC00	Dual Base	RM530	RM740

LABEL PRINTERS

Tailor-made for almost any desktop application

DT-2205

Delivers high speed 2-inch-format Direct Thermal labels and receipts that are crisp and clear.

- High quality double-walled clamshell design
- Resolution 203 DPI
- Max Print Width 2.13"
- Max Print Length 90"
- Max Print Speed 5 IPS
- MicroSD Card slot
- Dimensions: 109mm x 171 mm x 209 mm 1.2KG
- Interfaces: USB 2.0, RS-232, Ethernet, Bluetooth



DT-2404

A low cost, entry-level, 4-inch-format Direct Thermal desktop printer delivering fast and reliable labels in the unique double-walled clamshell design.

- Resolution 203 DPI
- Max Print Width 4.25"
- Max Print Length 90"
- Max Print Speed 4 IPS
- SD Card slot on board
- Dimensions: 200 mm x 164mm x240 mm 1.9 KG
- Interfaces: USB 2.0, Serial, Ethernet, Bluetooth



T-210E

A wide variety media selection user friendly Thermal Transfer printer delivering 5-inch-format labels.

- Dual-motor gear-driven design
- Resolution 203 DPI
- Max Print Width 4.25"
- Max Print Length 110"
- Max Print Speed 5 IPS
- MicroSD Card slot
- Dimensions: 224 mm x 186 mm x 294 mm 2.45KG
- Interface: USB 2.0, Serial, Ethernet, Parallel, RS-232



MODEL	ITEM CODE	PRODUCT SPECIFICATION	COST EX GST 1-10	COST EX GST 10+	RRP EX GST
DT-2205	DT2205	DT-2205 Direct Thermal Label Printer	RM550	RM490	RM750
DT-2404	D2404	DT-2404 Direct Thermal Label Printer	RM650	RM590	RM800
T-210E	T-210E	T-210E Thermal Transfer Label Printer	RM750	RM690	RM950

THERMAL POS PRINTERS

High printing speed, reliable and silent



TP-100

TP-100

- Fast Printing Speed 250mm/sec
- Flash Memory
- Auto-Cutter
- Serial + USB + Ethernet
- Dimensions: 145(W) x 195(D) x 148(H)

Applications

- Receipt
- Kitchen
- Coupon
- Barcode
- Ticket
- Lottery System

FEATURES

- Direct Thermal
- Auto Paper Cutter
- Auto Status Back Message
- 95 Alpha Numeric Character Set
- Multi-Lingual Available
- Logo and Graphic Printing
- RJ12 Cash draw Port
- Wall Mount Function Available
- Paper Roll Size: 79.5 +/- 0.5(W) x 83(Max) mm

Supported Printing Language

- English
- Traditional Chinese
- Simplified Chinese
- Korean
- Japanese

MODEL	ITEM CODE	PRODUCT SPECIFICATION	COST EX GST 1-10	COST EX GST 10+	RRP EX GST
TP-100USE	TP-100USE	Direct Thermal, Auto-Cutter, USB + Serial + Ethernet	RM419	RM399	RM580

CASH DRAWERS

Heavy Duty, Reliable and Stable

CC4142 Standard

FEATURES



- Heavy Duty Cash Drawer
- Stainless Steel Front
- 5 Notes/5 Coins adjustable compartments
- Removable and adjustable coin section
- Metal Note Gripper
- 2 Media Slots
- 3 Position Key Lock
- Emergency Key Opening
- 124V Solenoid
- RJ12 Connector
- Nylon Rollers

MODEL		ITEM CODE	PRODUCT SPECIFICATION	COST EX GST 1-10	COST EX	RRP EX GST
CC4142	24V	CC4142V24	Stainless Steel Front, 5 Notes/ 5 Coins, RJ12, 1 Media	RM180	RM150	RM250

ACCESSORIES OPTIONS

MODEL	ITEM CODE	PRODUCT SPECIFICATION	COST EX GST 1-10	RRP EX GST
CC4142 Insert Tray	CC4142INS	Spare Insert (Black) for CC4142	RM90	RM130

PARTS FOR cSPOS

ITEM CODE	PRODUCT SPECIFICATION	COST EX	RRP EX GST
MK-FRN5ATHA0	15" FRT Touch with Bezel for cSPOS (Black)	RM440	RM615
MK-FRN5ATHA4	15" FRT Touch with Bezel for cSPOS (Green)	RM440	RM615
MK-FRN5ATHA2	15" FRT Touch with Bezel for cSPOS (Red)	RM440	RM615
MK-FRN5ATHA1	15" PCT Touch with Bezel for cSPOS (Black)	RM770	RM1050
MK-FRN5ATHA5	15" PCT Touch with Bezel for cSPOS (Green)	RM770	RM1050
MK-FRN5ATHA3	15" PCT Touch with Bezel for cSPOS (Red)	RM770	RM1050
MK-FR00ALC10	15" H/ B LCD Panel – cSPOS250, cSPOS350	RM495	RM695
GCA-06P001	LCD Panel LCD Cable - cSPOS250, cSPOS350	RM10	RM15
GCA-08S044	Backlight Cable - cSPOS250, cSPOS350	RM5	RM10
MK-BKP0ASTA0	Parallel Motherboard – cSPOS250	RM800	RM1100
MK-BKP1ASTA0	VGA Motherboard – cSPOS250	RM800	RM1100
MK-BKP2ASTA0	Parallel Motherboard – cSPOS350	RM880	RM1200
MK-BKP7ASTA0	VGA Motherboard – cSPOS350	RM880	RM1200
S-RMFFAA01600	4GB DDR3 RAM for cSPOS	RM220	RM300
MK-BKI5AAC00	Power Supply Unit - cSPOS	RM60	RM85
S-PAN5AA00201	Carton – cSPOS	RM15	RM20
S-PAN5AA00000	Foam – cSPOS Left	RM15	RM20
S-PAN5AA00100	Foam – cSPOS Right	RM15	RM20
S-PAN5AA00800	Foam – Pet Tray	RM5	RM10

PARTS FOR iSPOS

ITEM CODE	PRODUCT SPECIFICATION	COST EX	RRP EX GST
S-THFFR00100	15" Senor Touch Panel	RM200	RM280
MK-FRI5AAAA5	15" Senor PCT Touch Panel	RM800	RM1100
MK-FR00ALC10	15" H/ B LCD Panel – iSPOS800	RM495	RM695
GCA-06P001	LCD Panel LCD Cable – iSPOS800	RM10	RM15
GCA-08S044	Backlight Cable – iSPOS800	RM5	RM10
MK-BKEMASTA0	Parallel Motherboard – iSPOS800	RM800	RM1100
MK-BKENASTA0	VGA Motherboard – iSPOS800	RM800	RM1100
S-RMFFAA01700	2GB RAM for iSPOS800	RM110	RM155
MK-BSI5AAC00	Power Supply Unit – iSPOS800	RM60	RM85
GPA-S150SC	Carton – iSPOS	RM15	RM20
GPA-EPE15SL	Foam – iSPOS Left	RM15	RM20
GPA-EPE15SR1	Foam – iSPOS Right	RM15	RM20

PARTS FOR TP100

ITEM CODE	PRODUCT SPECIFICATION	COST EX GST	RRP EX GST
TP100CB	TP100 Motherboard	RM125	RM175
TP100PC	TP100 Printer Cutter	RM65	RM90
TP100PM	TP100 Printing Mechanism (Printing Head Set w/ motor)	RM175	RM245
TP100AP	TP100 Power Supply	RM45	RM60
TP100SC	TP100 Serial Cable	RM5	RM10
TP100UC	TP100 USB Cable	RM5	RM10



TERMS AND CONDITIONS

PAYMENT TERMS

Terms are strictly COD unless an account has been approved in writing. Our direct deposit details are:

SENIOR TECH SDN BHD

Hong Leong Bank Berhad

Account Number (MYR): 10500092518

Account Number (USD): 10502001394

Please fax proof of deposit with your order.

TITLE AND PROPERTY OF GOODS SHALL NOT PASS UNTIL THE GOODS HAVE BEEN PAID FOR IN FULL OR IN CASE OF PAYMENT BY CHEQUE, UNTIL THE CHEQUE IS DULY HONOURED.

PRICES and SPECIFICATIONS

All prices and specifications are subject to change without notice and are excluding GST, insurance and freight unless stated otherwise.

SERVICE AND GOODS RETURN

Goods returned MUST receive authorization form beforehand. The RMA form will guide you through the process, terms and conditions of return.

WARRANTY POLICY

1. The standard back to base warranty (36 months — ISPOS and CSPOS, and its peripherals; 18 months — Atto POS and AMON touch monitor, and its peripherals; 12 months — cash drawer, thermal and label printers) provided by SENIOR TECH is limited to the repair of faulty item at our discretion, including the following:
 - a. The system unit including internal components such as (motherboard, power supply, hard drive, floppy drives, I/O controller)
 - b. The monitor/LCD
 - c. Integrated POS options such as (VFD, MCR, MSR, fingerprint reader, RFID reader, 40 keypad)
 Computer components not purchased from SENIOR TECH and or not installed by SENIOR TECH or its authorized resellers, are specifically excluded from this warranty and may render the entire warranty void. **ALL GOODS SENT BACK TO BASE MUST TRAVEL IN ORIGINAL OR ADEQUATE PACKAGING. ANY REMOVAL OF ANY NUMBERED LABEL FROM THE SYSTEM UNIT OR ANY OF ITS PARTS SHALL VOID THE WARRANTY.**
2. This warranty is not transferable should the goods to be on-sold by the purchaser unless the purchaser is an authorized SENIOR TECH reseller.
3. The warranty does not cover claims in any way arising out of abnormal use, misuse or abuse of the equipment and accidents relating to or in any way arising out of the use of equipment which was not supplied by SENIOR TECH but which has been attached to or incorporated in the system or any of the external devices themselves (printers, scanner etc.). Those items are covered by their respective manufacturer's warranty. **The warranty does not cover computer mice, tape back up devices ZIP, Jazz etc, DVD, CDR, peripheral consumables, and AC/DC adapters/rechargers, nor any software items existing or new whether supplied or installed by SENIOR TECH or a third party.** All warranty repairs or upgrades which include opening the computer, monitor or keyboard cases must be carried out by SENIOR TECH or a nominated service centre.
4. SENIOR TECH shall not be responsible for any loss of data or productivity in relation to any unit failure for whatever reason.
5. If you wish to make a warranty claim, please contact your account manager or the service manager at SENIOR TECH.
6. A similarly configured replacement unit may be supplied by SENIOR as an "Advance Exchange" in case the existing system has to be removed from the site, however this will be under the discretion of SENIOR TECH.



WARRANTY REGISTRATION

WARRANTY RETURN AUTHORISATION

To make a warranty claim, a RMA form from the SENIOR website must be completed and sent/faxed back to: SENIOR TECH or SENIOR TECH's authorized service centre (see list of specific country/state). All legitimate warranty claims will be dealt with promptly and returned. It is the customer's responsibility to freight the goods to SENIOR TECH at their cost, customers on charging the costs to SENIOR TECH will be charged with the return freight costs (please refer to Limited Warranty Documentation). Note: The fault must be properly documented. Description such as "dead" or "broken" will not suffice. Goods must be sent packed in original or adequate packaging including manuals, and clearly marked RMA number.

Goods returned not under the above conditions will not be accepted for warranty and may incur a re-packaging fee. Only products supplied by SENIOR TECH will be accepted for warranty unless otherwise specified. Goods incorrectly sent will incur a handling fee. Any goods found to be in working order will incur a testing and handling fee. Call our Service Department for rates on fees applicable.